



YOUR GUIDE TO

STARTING HEMLIBRA

For people with hemophilia A with or without factor VIII inhibitors

What is HEMLIBRA?

HEMLIBRA is a prescription medicine used for routine prophylaxis to prevent or reduce the frequency of bleeding episodes in adults and children, ages newborn and older, with hemophilia A with or without factor VIII inhibitors.

What is the most important information I should know about HEMLIBRA?


HEMLIBRA increases the potential for your blood to clot. People who use activated prothrombin complex concentrate (aPCC; Feiba®) to treat breakthrough bleeds while

taking HEMLIBRA may be at risk of serious side effects related to blood clots.

These serious side effects include:

- **Thrombotic microangiopathy (TMA)**, a condition involving blood clots and injury to small blood vessels that may cause harm to your kidneys, brain, and other organs
- **Blood clots (thrombotic events)**, which may form in blood vessels in your arm, leg, lung, or head

Please see Important Safety Information, including **Serious Side Effects**, throughout this brochure, as well as the accompanying HEMLIBRA full Prescribing Information and Medication Guide.



Welcome! By choosing HEMLIBRA, you and your healthcare provider have made an important step in your treatment journey. We hope this booklet helps you navigate the first steps.

INSIDE, YOU’LL FIND INFORMATION ON...

PREPARING TO START HEMLIBRA	06
YOUR NEW TREATMENT ROUTINE	15
IMPORTANT SAFETY INFORMATION	20
SUPPORT RESOURCES	21

While this brochure is meant to provide you with helpful information, it does not contain medical advice and is not intended to replace important conversations with your healthcare provider. As you carefully read this brochure, you can record any notes or questions you may have on page 23 so that you can speak with your healthcare provider. You also may want to keep this booklet as a reference in the future.

Please see Important Safety Information, including **Serious Side Effects**, throughout this brochure, as well as the accompanying HEMLIBRA full Prescribing Information and Medication Guide.

A NEW DAY IN YOUR
TREATMENT EXPERIENCE

HEMLIBRA is a prescription medicine used for routine prophylaxis to prevent or reduce the frequency of bleeding episodes in adults and children, ages newborn and older, with hemophilia A with or without factor VIII inhibitors.

Over 20,000* people worldwide and ~7,000† people in the US with hemophilia A have been treated with HEMLIBRA.

IT WORKS DIFFERENTLY THAN OTHER HEMOPHILIA THERAPIES


AND WILL LIKELY REQUIRE SOME CHANGES IN YOUR CURRENT ROUTINE, INCLUDING:



How you take your medication



How you treat breakthrough bleeds



When you take your medication



How you store and travel with your medication

*Number of people with hemophilia A treated with HEMLIBRA as of April 2023.
†Number of people with hemophilia A treated with HEMLIBRA as of January 2023.

AS YOU CONSIDER THESE CHANGES TO YOUR DAILY ROUTINE, BE SURE TO SPEAK WITH YOUR HEALTHCARE PROVIDER ABOUT ANY QUESTIONS YOU MAY HAVE.

WHAT IS THE MOST IMPORTANT INFORMATION I SHOULD KNOW ABOUT HEMLIBRA? (CONT'D)

Talk to your doctor about the signs and symptoms of these serious side effects, which can include:

- Confusion
- Nausea or vomiting
- Decreased urination
- Eye pain, swelling, or trouble seeing
- Headache
- Stomach, chest, or back pain
- Swelling, pain, or redness
- Swelling of arms and legs
- Fast heart rate
- Shortness of breath
- Weakness
- Feeling sick or faint
- Yellowing of skin and eyes
- Numbness in your face
- Coughing up blood

4 If you experience any of these symptoms during or after treatment with HEMLIBRA, get medical help right away.



Please see Important Safety Information, including **Serious Side Effects**, throughout this brochure, as well as the accompanying HEMLIBRA full Prescribing Information and Medication Guide.



PREPARING TO
START HEMLIBRA

Your first step in starting HEMLIBRA is getting trained by your healthcare provider on how to give a HEMLIBRA injection. You also will need supplies, your dosing regimen, and a treatment plan. Let’s go through each of these so you can speak to your healthcare provider and be ready to start treatment.

STEP 1. LEARN TO INJECT

- HEMLIBRA is NOT an infusion into the vein; it’s a prophylactic treatment offered as a shot under your skin (subcutaneous, or sub-Q)
- After preparation, a sub-Q injection can take less than a minute to inject

THE INFUSION AND INJECTION PROCESSES ARE DIFFERENT

This means your routine will change, and you will need to be trained by your healthcare provider on how to inject HEMLIBRA.



FACTOR REPLACEMENT AND
BYPASSING TREATMENTS
Intravenous (IV) infusion
into the vein



HEMLIBRA SUB-Q INJECTION
UNDER THE SKIN

01

Your healthcare provider will walk you through how to inject HEMLIBRA. Be sure to ask any questions you may have.

02

Once trained, you should be able to inject yourself at home. Self-administration is not recommended for children younger than 7 years.

03

Watch a refresher video at
[TakingHEMLIBRA.com](https://www.takinghemlibra.com)

DO NOT INJECT YOURSELF OR ANOTHER PERSON
UNLESS YOU HAVE BEEN TAUGHT HOW TO DO SO
BY A HEALTHCARE PROVIDER.

WHAT IS THE MOST IMPORTANT INFORMATION I SHOULD KNOW
ABOUT HEMLIBRA? (CONT'D)

Carefully follow your healthcare provider’s instructions regarding when to use an on-demand bypassing agent or factor VIII, and the dose and schedule to use for breakthrough bleed treatment. If aPCC (Feiba®) is needed, talk to your healthcare provider in case you feel you need more than 100 U/kg of aPCC (Feiba®) total.

Your body may make antibodies against HEMLIBRA, which may stop HEMLIBRA from working properly. Contact your healthcare provider immediately if you notice that HEMLIBRA has stopped working for you (eg, increase in bleeds).



6 Please see Important Safety Information, including **Serious Side Effects**, throughout this brochure, as well as the accompanying HEMLIBRA full Prescribing Information and Medication Guide.

PREPARING TO
START HEMLIBRA

STEP 2. GET YOUR SUPPLIES

When your healthcare provider prescribed HEMLIBRA for you, he or she also wrote a prescription for your injection supplies. Some of these may be familiar, while others may be new to you.

ITEMS NOT INCLUDED IN THE HEMLIBRA BOX



ALCOHOL
WIPES



GAUZE



COTTON BALLS



SHARPS DISPOSAL
CONTAINER



25- TO 27-GAUGE INJECTION
NEEDLE WITH SAFETY SHIELD

Used to inject HEMLIBRA; **do not** use the injection needle to withdraw HEMLIBRA from vial.



18-GAUGE TRANSFER NEEDLE
WITH 5 MICRON FILTER

If you need to use more than one vial to inject your prescribed dose, you must use a new transfer needle for each vial. **Do not** use the transfer needle to inject HEMLIBRA.



SYRINGE

For injection amount up to 1 mL, use a 1 mL syringe. For injection amount between 1 mL and 2 mL, use a 2 mL or 3 mL syringe.

ITEMS INCLUDED IN THE HEMLIBRA BOX



AVAILABLE HEMLIBRA VIALS



INSTRUCTIONS
FOR USE

Your healthcare provider will tell you which HEMLIBRA vials to use to prepare your dose. HEMLIBRA comes in 4 different strengths: 30 mg, 60 mg, 105 mg, and 150 mg. Depending on your dose, you may need to use more than 1 vial (or more than 1 syringe) and injection needle to inject your total prescribed dose.

DO NOT COMBINE VIALS OF DIFFERENT CONCENTRATIONS IN 1 SYRINGE.

Depending on the dose that your healthcare provider prescribes, you may need two of some items, such as a second vial or transfer needle. And, if your healthcare provider prescribes a dose that is more than 2 mL, you'll need to give more than 1 injection. Only use the syringes, transfer needles, and injection needles that your healthcare provider prescribes.

You may get these supplies from your specialty pharmacy or healthcare provider's office. Items such as alcohol wipes, gauze, and cotton balls may also be available at your local drug store. A detailed list of necessary supplies and step-by-step instructions can be found in the HEMLIBRA Instructions for Use.

WHERE CAN YOU GET THE
INSTRUCTIONS FOR USE?

- Included with your HEMLIBRA medication
- In your HEMLIBRA Welcome Kit
- At [HEMLIBRA.com](https://www.genentech.com/HEMLIBRA)

NEED A HEMLIBRA
WELCOME KIT?

Call your local Genentech Account and Community Manager (ACM) or our Connects Patient Resource Center at (866) HEMLIBRA or (866) 436-5427.

PREPARING TO
START HEMLIBRA

STEP 3. UNDERSTAND YOUR DOSING PLAN




Your healthcare provider will determine the appropriate dose for you.

YOUR HEMLIBRA DOSE IS BASED ON YOUR WEIGHT


Since HEMLIBRA is taken differently than other treatments you may have used in the past, it is important that you use HEMLIBRA exactly as prescribed by your healthcare provider.

- Treatment will begin with a loading dose once weekly for 4 weeks to increase the levels of HEMLIBRA in your blood
- Starting at Week 5, your maintenance dose will begin. Your doctor will help you choose a dosing schedule that’s right for you




LOADING DOSE
Weeks 1–4

THEN




EVERY WEEK

OR



EVERY 2 WEEKS

OR



EVERY 4 WEEKS

MAINTENANCE DOSE
Weeks 5+

HAVE HEMOPHILIA A WITH
FACTOR VIII INHIBITORS?

Stop (discontinue) prophylactic use of bypassing agents the day before starting HEMLIBRA prophylaxis.

HAVE HEMOPHILIA A WITHOUT
FACTOR VIII INHIBITORS?


You may continue prophylactic use of factor VIII therapy for the first week of HEMLIBRA prophylaxis.

WHAT ARE THE OTHER POSSIBLE SIDE EFFECTS OF HEMLIBRA?

The most common side effects of HEMLIBRA include: injection site reactions (redness, tenderness, warmth, or itching at the site of injection), headache, and joint pain. These are not all of the possible side effects of HEMLIBRA. You can speak with your healthcare provider for more information.

Please see Important Safety Information, including **Serious Side Effects**, throughout this brochure, as well as the accompanying HEMLIBRA full Prescribing Information and Medication Guide.

STORING YOUR MEDICINE



Keep your HEMLIBRA in the refrigerator at 36°F to 46°F (2°C to 8°C). If needed, HEMLIBRA can be stored out of the refrigerator and then returned to the refrigerator. Just be sure not to store HEMLIBRA out of the refrigerator for more than 7 days, or at a temperature greater than at 86°F (30°C).



It’s important to keep your HEMLIBRA in its original package to protect it from light until you are ready to use it. And be sure not to freeze it or shake it.

KEEP HEMLIBRA AND ALL MEDICINES OUT OF THE REACH OF CHILDREN.

WITH STEADY AND CONSISTENT LEVELS BETWEEN DOSES,
THERE’S NO NEED TO ADJUST DOSING BASED ON ACTIVITY.

It is important that you stick with the dosing and treatment plan you discussed with your healthcare provider. If anything is unclear, speak with your healthcare provider.
For information on what to do if you miss a dose, see page 16.

PREPARING TO
START HEMLIBRA

STEP 4. PLAN AHEAD

TREATING A BREAKTHROUGH BLEED

HEMLIBRA is for routine prophylactic use only. Do not use HEMLIBRA to treat a breakthrough bleed.

You may get a bleed while taking HEMLIBRA. Before you start HEMLIBRA, you and your healthcare provider should discuss what to do in the event a breakthrough bleed occurs.

THIS INCLUDES DISCUSSING:



WHAT TREATMENT
YOU SHOULD USE



WHAT DOSE



THE FREQUENCY
OF TREATMENT



A PLAN FOR HOW TO SHARE
INFORMATION WITH YOUR
HEALTHCARE PROVIDER

SINCE HEMLIBRA WORKS DIFFERENTLY THAN YOUR PREVIOUS TREATMENTS, YOU AND YOUR HEALTHCARE PROVIDER WILL DISCUSS A PLAN FOR WHEN AND HOW TO TREAT A BLEED. IT IS IMPORTANT THAT YOU STICK WITH THE DOSING AND TREATMENT PLAN YOU DISCUSSED WITH YOUR HEALTHCARE PROVIDER.

WHAT ELSE SHOULD I KNOW ABOUT HEMLIBRA?

See the detailed "Instructions for Use" that comes with your HEMLIBRA for information on how to prepare and inject a dose of HEMLIBRA, and how to properly throw away (dispose of) used needles and syringes.

- Stop taking your prophylactic bypassing therapy the day before you start HEMLIBRA
- You may continue taking your prophylactic factor VIII for the first week of HEMLIBRA

WHEN AND HOW TO TREAT A BLEED

The following questions may be helpful when you speak with your healthcare provider:

- What should I do if I suspect that I'm having a breakthrough bleed?
- When should I treat a breakthrough bleed?
- Which therapy should I use?
- How much therapy should I use?

UNDERSTANDING LABORATORY TESTS

HEMLIBRA may interfere with laboratory tests that measure how well your blood is clotting and may cause a false reading. The full list of specific laboratory tests is included in the HEMLIBRA Prescribing Information, which comes with your HEMLIBRA.

Talk to your healthcare provider about how this may affect your care. Consider sharing this information with other healthcare providers, such as emergency personnel, dentists, or surgeons, and prior to any blood tests, medical procedures, or surgeries. The healthcare provider who treats your hemophilia can provide you with guidance.

WHILE TAKING HEMLIBRA, IT'S NOT NECESSARY
TO MONITOR YOUR DRUG LEVELS.

WHAT ELSE SHOULD I KNOW ABOUT HEMLIBRA? (CONT'D)

HEMLIBRA may interfere with laboratory tests that measure how well your blood is clotting and create an inaccurate result. Speak with your healthcare provider about how this may affect your care.

Please see Important Safety Information, including **Serious Side Effects**, throughout this brochure, as well as the accompanying HEMLIBRA full Prescribing Information and Medication Guide.



Being ready for an emergency situation is important. Consider updating your emergency medical information and knowing what to do if a trip to the emergency room (ER) is necessary.

Medical alert bracelets and wallet or phone cards are common ways to keep information accessible during an emergency.



EMERGENCY ROOM CARD

You may wish to use this emergency room card and the phone case that came in your HEMLIBRA Welcome Kit.



Many phones have a **"HEALTH" or "MEDICAL ID"** function that allows important information to be stored and accessed in an emergency without a password.



You may also want to talk to your healthcare provider about a **TRAVEL LETTER**. This document provides information about your condition, medications taken, and supplies you need to carry.

WHAT ELSE SHOULD I KNOW ABOUT HEMLIBRA? (CONT'D)

Medicines are sometimes prescribed for purposes other than those listed in a Medication Guide. Only use HEMLIBRA for the condition it was prescribed. Do not give HEMLIBRA to other people, even if they have the same symptoms that you have. It may harm them. Tell your healthcare provider about all the medicines you take, including prescription medicines, over-the-counter medicines, vitamins, or herbal supplements. Keep a list of them to show your healthcare provider and pharmacist.

Once you are trained on how to inject HEMLIBRA, have your supplies, and have worked with your healthcare provider to develop a treatment plan (including what to do in the event of a breakthrough bleed), you're ready to begin your treatment.

ADMINISTERING YOUR MEDICINE:




Once you are trained, you may refer to the **INSTRUCTIONS FOR USE** and see helpful videos at **TakingHEMLIBRA.com**



The instructions for injecting HEMLIBRA can be found in the **INSTRUCTIONS FOR USE** that came with your medicine.



Your local Genentech Account and Community Manager can also provide reinforcement education. Find your ACM at **HEMLIBRA.com/ACM**



You may want to use the injection mat, which is in the HEMLIBRA Welcome Kit, to help you organize supplies for your HEMLIBRA injection. If you didn't receive an injection mat, or if you misplaced yours and would like a new one, contact your ACM or call **(866) HEMLIBRA** or **(866) 436-5427** to order a new one.

Please see Important Safety Information, including **Serious Side Effects**, throughout this brochure, as well as the accompanying HEMLIBRA full Prescribing Information and Medication Guide.



WHAT DO I DO
IF I MISS A DOSE?

Use HEMLIBRA exactly as your healthcare provider prescribes. Skipping or missing a dose can increase the chance of a bleed.

If you forget to take your dose of HEMLIBRA on your scheduled day:

- Take it as soon as you remember
- You must take it as soon as possible before the next scheduled dose and then continue with your normal dosing schedule
- DO NOT give 2 doses on the same day to make up for a missed dose

EXAMPLE OF WHAT YOU COULD DO IF YOU MISS A DOSE:

MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY	SUNDAY
 CHOSEN INJECTION DAY	ONLY INJECT YOUR MISSED DOSE 1 TIME					
 FORGOT TO DOSE	✓ CAN INJECT MISSED DOSE	OR ✓ CAN INJECT MISSED DOSE	OR ✓ CAN INJECT MISSED DOSE	OR ✓ CAN INJECT MISSED DOSE	OR ✓ CAN INJECT MISSED DOSE	OR ✓ CAN INJECT MISSED DOSE
 CHOSEN INJECTION DAY	RESUME CHOSEN ROUTINE. DO NOT TAKE 2 DOSES					
 CHOSEN INJECTION DAY						

IF YOU ARE UNCLEAR ABOUT WHAT TO
DO IF YOU MISS YOUR DOSE, SPEAK
TO YOUR HEALTHCARE PROVIDER.

WHAT ELSE SHOULD I KNOW ABOUT HEMLIBRA? (CONT'D)

Before using HEMLIBRA, tell your healthcare provider about all of your medical conditions, including if you are pregnant, plan to become pregnant, are breastfeeding, or plan to breastfeed.

Since HEMLIBRA was tested in males, there is no information on whether HEMLIBRA may impact your unborn baby or breast milk. Females who are able to become pregnant should use birth control during treatment.



Please see Important Safety Information, including **Serious Side Effects**, throughout this brochure, as well as the accompanying HEMLIBRA full Prescribing Information and Medication Guide.

IMPORTANT
INJECTION TIPS

Below is a list of tips to remember before and after injecting HEMLIBRA. For a full list of injection instructions, please refer to the HEMLIBRA Instructions for Use.

TIPS TO REMEMBER (BEFORE AND AFTER) INJECTING HEMLIBRA

- **LEAVE YOUR HEMLIBRA OUT FOR AT LEAST 15 MINUTES** to bring it to room temperature before injecting. (For example, you may take HEMLIBRA out the morning of your injection to let it get to room temperature as you get ready for the day or take HEMLIBRA out before you go to bed at night if you plan to take your injection first thing in the morning)
- If you are nervous about your first injection, it may be helpful to **USE SOME RELAXATION TECHNIQUES** or **VIDEO CHAT WITH A FRIEND FOR SUPPORT**
- Make sure to **ROTATE INJECTION SITES** each time you treat. They should be at least 1 inch from the previous injection site
- To avoid bubbles or foaming, **SLOWLY** pull the plunger back when filling the syringe
- After using an alcohol swab to clean the injection site, **LET THE SKIN DRY FOR AT LEAST 10 SECONDS BEFORE INJECTING**
- **PINCH THE SKIN** to avoid muscle when injecting
- **THE MEDICATION SHOULD BE INJECTED SLOWLY** after the needle has penetrated the skin
- After the injection, **DO NOT RUB THE INJECTION SITE**
- If there is bruising, **AN ICE PACK CAN BE APPLIED** with gentle pressure
- Always **TALK TO YOUR DOCTOR** if you have questions about how to administer HEMLIBRA, including any other injection tips

WHAT IS THE MOST IMPORTANT INFORMATION I SHOULD KNOW ABOUT HEMLIBRA?

HEMLIBRA increases the potential for your blood to clot. People who use activated prothrombin complex concentrate (aPCC; Feiba®) to treat breakthrough bleeds while taking HEMLIBRA may be at risk of serious side effects related to blood clots.

These serious side effects include:

- **Thrombotic microangiopathy (TMA)**, a condition involving blood clots and injury to small blood vessels that may cause harm to your kidneys, brain, and other organs
- **Blood clots (thrombotic events)**, which may form in blood vessels in your arm, leg, lung, or head

CONSIDER INJECTION TRACKING TOOLS



You may wish to use the log provided in the HEMLIBRA Welcome Kit, or continue using the system that works well for you today.

As you record your injection, remember to track whether your supplies are running low. If they are, contact your healthcare provider or specialty pharmacy to order more so that you always have what you need to inject HEMLIBRA.

TIPS TO HELP YOU STAY ON TRACK

It is important to take HEMLIBRA exactly as prescribed by your healthcare provider. Here are some tips to help you stick to your prescribed dosing routine.



Choose your injection day and time; they should remain the same for each injection.



Set reminders on your phone or computer calendar or ask your healthcare provider about helpful apps.



Use a wall or desk calendar to mark your injection day; you may want to use the calendar reminder stickers provided in the injection log in the HEMLIBRA Welcome Kit.

What is HEMLIBRA?

HEMLIBRA is a prescription medicine used for routine prophylaxis to prevent or reduce the frequency of bleeding episodes in adults and children, ages newborn and older, with hemophilia A with or without factor VIII inhibitors.

What is the most important information I should know about HEMLIBRA?

HEMLIBRA increases the potential for your blood to clot. People who use activated prothrombin complex concentrate (aPCC; Feiba®) to treat breakthrough bleeds while taking HEMLIBRA may be at risk of serious side effects related to blood clots.

These serious side effects include:

- **Thrombotic microangiopathy (TMA)**, a condition involving blood clots and injury to small blood vessels that may cause harm to your kidneys, brain, and other organs
- **Blood clots (thrombotic events)**, which may form in blood vessels in your arm, leg, lung, or head

Talk to your doctor about the signs and symptoms of these serious side effects, which can include:

- | | |
|------------------------------|---|
| • Confusion | • Stomach, chest, or back pain |
| • Weakness | • Nausea or vomiting |
| • Swelling, pain, or redness | • Feeling sick or faint |
| • Decreased urination | • Swelling of arms and legs |
| • Yellowing of skin and eyes | • Eye pain, swelling, or trouble seeing |
| • Fast heart rate | • Headache |
| • Numbness in your face | • Coughing up blood |
| • Shortness of breath | |

If you experience any of these symptoms during or after treatment with HEMLIBRA, get medical help right away.

Carefully follow your healthcare provider’s instructions regarding when to use an on-demand bypassing agent or factor VIII, and the dose and schedule to use for breakthrough bleed treatment. If aPCC (Feiba®) is needed, talk to your healthcare provider in case you feel you need more than 100 U/kg of aPCC (Feiba®) total.

Your body may make antibodies against HEMLIBRA, which may stop HEMLIBRA from working properly. Contact your healthcare provider immediately if you notice that HEMLIBRA has stopped working for you (eg, increase in bleeds).

The most common side effects of HEMLIBRA include: injection site reactions (redness, tenderness, warmth, or itching at the site of injection), headache, and joint pain. These are not all of the possible side effects of HEMLIBRA. You can speak with your

healthcare provider for more information.

What else should I know about HEMLIBRA?

See the detailed “Instructions for Use” that comes with your HEMLIBRA for information on how to prepare and inject a dose of HEMLIBRA, and how to properly throw away (dispose of) used needles and syringes.

- Stop taking your prophylactic bypassing therapy the day before you start HEMLIBRA
- You may continue taking your prophylactic factor VIII for the first week of HEMLIBRA

HEMLIBRA may interfere with laboratory tests that measure how well your blood is clotting and create an inaccurate result. Speak with your healthcare provider about how this may affect your care.

Medicines are sometimes prescribed for purposes other than those listed in a Medication Guide. Only use HEMLIBRA for the condition it was prescribed. Do not give HEMLIBRA to other people, even if they have the same symptoms that you have. It may harm them.

Tell your healthcare provider about all the medicines you take, including prescription medicines, over-the-counter medicines, vitamins, or herbal supplements. Keep a list of them to show your healthcare provider and pharmacist.

Before using HEMLIBRA, tell your healthcare provider about all of your medical conditions, including if you are pregnant, plan to become pregnant, are breastfeeding, or plan to breastfeed.

Since HEMLIBRA was tested in males, there is no information on whether HEMLIBRA may impact your unborn baby or breast milk. Females who are able to become pregnant should use birth control during treatment.

Side effects may be reported to the FDA at (800) FDA-1088 or www.fda.gov/medwatch. You may also report side effects to Genentech at (888) 835-2555.

Please see Important Safety Information, including **Serious Side Effects**, throughout this brochure, as well as the accompanying HEMLIBRA full Prescribing Information and Medication Guide.



MEET YOUR ACCOUNT AND COMMUNITY MANAGER

At Genentech, we aspire to be a community partner. Our Account and Community Managers, called ACMs, are experts on HEMLIBRA and can:



- Answer your HEMLIBRA questions
- Provide support with insurance and financial assistance
- Inform you about educational programs in your area

Your healthcare provider is your first source of information. ACMs do not provide medical advice, as that should always be a conversation between you and your healthcare provider. Always talk to your doctor about treatment options. ACMs are Genentech employees.

FIND YOUR ACM AT HEMLIBRA.COM/ACM OR (866) HEMLIBRA

Call (866) HEMLIBRA or (866) 436-5427.

Our comprehensive resource hub, HEMLIBRA Connects, helps get you the information you need about HEMLIBRA. We can help you:

CONNECTS
PATIENT RESOURCE CENTER

GET CONNECTED TO YOUR LOCAL ACCOUNT AND COMMUNITY MANAGER	LEARN ABOUT OUR HEMLIBRA CO-PAY PROGRAM which may help you with the out-of-pocket costs of HEMLIBRA, if you are eligible	UNDERSTAND YOUR HEALTH INSURANCE COVERAGE FOR HEMLIBRA
---	---	--

HEMLIBRA Access Solutions® may be able to help you understand how to get the HEMLIBRA you need, even if you can’t pay for it. Find out more in the Access Solutions brochure in the HEMLIBRA Welcome Kit or by visiting [HEMLIBRA.com/ACCESS](https://www.genentech.com/HEMLIBRA.com/ACCESS)

We’re here to help, in English and Spanish, 9:00 AM to 8:00 PM ET (6:00 AM to 5:00 PM PT), Monday through Friday.

SIGN UP AT HEMLIBRA.COM TO RECEIVE
NEWS UPDATES AND TREATMENT TIPS.

Please see Important Safety Information, including **Serious Side Effects**, throughout this brochure, as well as the accompanying HEMLIBRA full Prescribing Information and Medication Guide.

MY PLAN FOR

BREAKTHROUGH BLEEDS

You can get a bleed while taking HEMLIBRA. You and your healthcare provider will discuss a plan for when and how to treat a bleed. It is important that you stick with the dosing and treatment plan you discussed with your healthcare provider.

You can use this section to record your plan.

[illegible]

NOTES FOR DISCUSSION

WITH MY HEALTHCARE PROVIDER

Feel free to use this space to write down questions you may have for your healthcare provider about starting HEMLIBRA.

[illegible]

Please see Important Safety Information, including **Serious Side Effects**, throughout this brochure, as well as the accompanying HEMLIBRA full Prescribing Information and Medication Guide.





IF YOU KNOW YOU KNOW

THE NEXT CHAPTER OF TREATMENT

BEFORE STARTING HEMLIBRA

- | | |
|---|--|
| <input type="checkbox"/> I UNDERSTAND THE INFORMATION ABOUT HEMLIBRA | <input type="checkbox"/> I HAVE A PLAN FOR WHEN AND HOW TO TREAT A BLEED |
| <input type="checkbox"/> I KNOW WHAT DOSE AND TREATMENT SCHEDULE IS BEST FOR ME | <input type="checkbox"/> I KNOW HOW TO INJECT AND HAVE TIPS FOR HOW TO FOLLOW MY NEW ROUTINE |
| <input type="checkbox"/> I HAVE BEEN TRAINED ON HOW TO INJECT HEMLIBRA AND HAVE THE SUPPLIES I NEED | <input type="checkbox"/> I HAVE INFORMED MY OTHER HEALTHCARE PROVIDERS AND HAVE A PLAN FOR EMERGENCIES |

PATIENT RESOURCE CENTER

FOR MORE INFORMATION, SIGN UP AT [HEMLIBRA.COM/ACM](https://hemlibra.com/acm)

Your healthcare provider is your first source of information, but another resource is available.

Our Account and Community Managers (ACMs) are experts on HEMLIBRA and can:

- Answer your HEMLIBRA questions
- Provide support with insurance and financial assistance
- Inform you about educational programs in your area

ACMs do not provide medical advice. Always talk to your doctor about treatment options. ACMs are Genentech employees.

The information contained in this brochure does not provide medical advice or take the place of speaking with your healthcare provider about your medical condition or treatment.

Please see Important Safety Information, including **Serious Side Effects**, throughout this brochure, as well as the accompanying HEMLIBRA full Prescribing Information and Medication Guide.

Genentech
A Member of the Roche Group



HEMLIBRA® is a registered trademark of Chugai Pharmaceutical Co., Ltd., Tokyo, Japan.
The HEMLIBRA logo is a registered trademark of Chugai Pharmaceutical Co., Ltd., Tokyo, Japan.
The Genentech logo is a registered trademark of Genentech, Inc.
All other trademarks are the property of their respective owners.
©2023 Genentech USA, Inc. All rights reserved. M-US-00002709(v7.0) 07/23

HEMLIBRA
emicizumab-kxwh | 150 mg/mL
injection for subcutaneous use